

兔抗 MAPK1/MAPK3 (Phospho-Thr185/202) 多克隆抗体

中文名称：兔抗 MAPK1/MAPK3 (Phospho-Thr185/202)多克隆抗体

英文名称：Anti-MAPK1/MAPK3 (Phospho-Thr185/202) rabbit polyclonal antibody

别名：ERK1/2

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：MAPK1/MAPK3 (Phospho-Thr185/202)

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	Involved in both the initiation and regulation of meiosis, mitosis, and postmitotic functions in differentiated cells by phosphorylating a number of transcription factors such as ELK-1. Phosphorylates EIF4EBP1; required for initiation of translation. Phosphorylates microtubule-associated protein 2 (MAP2). Phosphorylates SPZ1.
Applications:	WB, IHC, IF
Name of antibody:	MAPK1/MAPK3 (Phospho-Thr185/202)
Immunogen:	Synthetic peptide of human MAPK1/MAPK3 (Phospho-Thr185/202)
Full name:	mitogen-activated protein kinase 1/3 (Phospho-Thr181/202)

Synonyms:	ERK1/2
SwissProt:	P27361/P28482
IHC positive control:	Human breast carcinoma
IHC Recommend dilution:	50-100
WB Predicted band size:	42 kDa; 44 kDa
WB Positive control:	293 cells treated with PMA
WB Recommended dilution:	500-1000
IF positive control:	Hela cells
IF Recommend dilution:	100-200



