

DTX2 抗原(重组蛋白)

中文名称: DTX2 抗原(重组蛋白)

英文名称: DTX2 Antigen (Recombinant Protein)

储 存: 冷冻 (-20℃)

相关类别: 抗原

概述

Fusion protein corresponding to a region derived from 323-622 amino acids of human DTX2

技术规格

| Full name: | deltex E3 ubiquitin ligase 2 |
|--------------------|--|
| Synonyms: | RNF58 |
| Swissprot: | Q86UW9 |
| Gene Accession: | BC018555 |
| Purity: | >85%, as determined by Coomassie blue stained SDS-PAGE |
| Expression system: | Escherichia coli |
| Tags: | His tag C-Terminus, GST tag N-Terminus |
| Background: | DTX2 functions as an E3 ubiquitin ligase (Takeyama et al., 2003 [P ubMed 12670957]). Regulator of Notch signaling, a signaling path way involved in cell-cell communications that regulates a broad sp ectrum of cell-fate determinations. Probably acts both as a positiv e and negative regulator of Notch, depending on the developmen tal and cell context. Mediates the antineural activity of Notch, pos sibly by inhibiting the transcriptional activation mediated by MATC H1. Functions as a ubiquitin ligase protein in vitro, suggesting that it may regulate the Notch pathway via some ubiquitin ligase activity. |