

## 兔抗 NAA60 多克隆抗体

- 中文名称: 兔抗 NAA60 多克隆抗体
- 英文名称: Anti-NAA60 rabbit polyclonal antibody
- 别名: HAT4; NAT15
- 相关类别: 一抗
- 抗原: NAA60
- 储存: 冷冻 (-20℃)
- 宿主: Rabbit
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

### 技术规格

<b>Background:</b>	Histone acetyltransferase localized in the Golgi apparatus that mediates acetylation of free histone H4, thereby facilitating nucleosome assembly. Has a preference for free histone H4 'Lys-20'(H4K20ac), 'Lys-79'(H4K79ac) and 'Lys-91' (H4K91ac). Also displays alpha (N-terminal) acetyltransferase activity towards a range of N-terminal sequences including those starting with Met-Lys, Met-Val, Met-Ala and Met-Met. Required for normal chromosomal segregation during anaphase.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	NAA60
<b>Immunogen:</b>	Full length fusion protein
<b>Full name:</b>	N(alpha)-acetyltransferase 60, NatF catalytic subunit

<b>Synonyms :</b>	HAT4; NAT15
<b>SwissProt:</b>	Q9H7X0
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human esophagus cancer and Human prostate cancer
<b>IHC Recommend dilution:</b>	25-100



