

兔抗 NIT2 多克隆抗体

中文名称: 兔抗 NIT2 多克隆抗体

英文名称: Anti-NIT2 rabbit polyclonal antibody

相关类别: 一抗

储 存: 冷冻 (-20℃)

宿 主: Rabbit

抗 原: NIT2

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	Has a omega-amidase activity. The role of omega-amidase is to remove potentially toxic intermediates by converting alpha-ketoglutarate and alpha-ketosuccinamate to biologically useful alpha-ketoglutarate and oxaloacetate, respectively. Overexpression decreases the colony-forming capacity of cultured cells by arresting cells in the G2 phase of the cell cycle.
Applications:	ELISA, WB, IHC
Name of antibody:	NIT2
Immunogen:	Synthetic peptide of human NIT2
Full name:	Itrilase family, member 2
SwissProt:	Q9NQR4
ELISA Recommended dilution:	2000-10000
IHC positive control:	Human ovarian cancer and Human cervical cancer
IHC Recommend dilution:	50-200

WB Predicted band size:	31 kDa
WB Positive control:	Mouse liver and kidney tissue
WB Recommended dilution:	200-1000



