

兔抗 MAP2K3 多克隆抗体

中文名称: 兔抗 MAP2K3 多克隆抗体

英文名称: Anti-MAP2K3 rabbit polyclonal antibody

别 名: MEK3; MKK3; MAPKK3; PRKMK3; SAPKK2; SAPKK-2

抗原: MAP2K3

储 存: 冷冻(-20℃)

宿 主: Rabbit

相关类别: 一抗

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

otein kinase that belongs to the MAP kinase kinase family. This kinase is activated by mitogenic and environment al stress, and participates in the MAP kinase-mediated signaling cascade. It phosphorylates and thus activates MA PK14/p38-MAPK. This kinase can be activated by insulin, and is necessary for the expression of glucose transporter. Expression of RAS oncogene is found to result in the accumulation of the active form of this kinase, which thus leads to the constitutive activation of MAPK14, and confers oncogenic transformation of primary cells. The inhi

The protein encoded by this gene is a dual specificity pr

bition of this kinase is involved in the pathogenesis of Y



	ersina pseudotuberculosis. Multiple alternatively spliced tr anscript variants that encode distinct isoforms have been reported for this gene.
Applications:	ELISA, IHC
Name of antibody:	MAP2K3
Immunogen:	Fusion protein of human MAP2K3
Full name:	mitogen-activated protein kinase kinase 3
Synonyms:	MEK3; MKK3; MAPKK3; PRKMK3; SAPKK2; SAPKK-2
SwissProt:	P46734
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human ovarian cancer and human gastric cancer
IHC Recommend dilution:	25-100





