The protein encoded by this gene is a transme



兔抗 SDC2 多克隆抗体

中文名称: 兔抗 SDC2 多克隆抗体

英文名称: Anti-SDC2 rabbit polyclonal antibody

别名: HSPG; CD362; HSPG1; SYND2

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗原: SDC2

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

mbrane (type I) heparan sulfate proteoglycan an d is a member of the syndecan proteoglycan fa mily. The syndecans mediate cell binding, cell si gnaling, and cytoskeletal organization and synde can receptors are required for internalization of the HIV-1 tat protein. The syndecan-2 protein fu nctions as an integral membrane protein and pa rticipates in cell proliferation, cell migration and cell-matrix interactions via its receptor for extrac ellular matrix proteins. Altered syndecan-2 expre ssion has been detected in several different tum

or types.



Applications:	ELISA, IHC
Name of antibody:	SDC2
Immunogen:	Synthetic peptide of human SDC2
Full name:	syndecan 2
Synonyms:	HSPG; CD362; HSPG1; SYND2
SwissProt:	P34741
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human colorectal cancer and human brain
IHC Recommend dilution:	25-100







