

兔抗 RPLP2 多克隆抗体

中文名称: 兔抗 RPLP2 多克隆抗体

英文名称: Anti-RPLP2 rabbit polyclonal antibody

别 名: P2; LP2; RPP2; D11S2243E

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗原: RPLP2

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	Ribosomes, the organelles that catalyze protein sy nthesis, consist of a small 40S subunit and a larg e 60S subunit. Together these subunits are comp osed of 4 RNA species and approximately 80 stru cturally distinct proteins. This gene encodes a rib osomal phosphoprotein that is a component of the 60S subunit. The protein, which is a functional equivalent of the E. coli L7/L12 ribosomal protein, belongs to the L12P family of ribosomal proteins. It plays an important role in the elongation step of protein synthesis. Unlike most ribosomal proteins, which are basic, the encoded protein is acidic.
Applications:	ELISA, WB, IHC



www.shjning.com

Name of antibody:	RPLP2
Immunogen:	Fusion protein of human RPLP2
Full name:	ribosomal protein, large, P2
Synonyms:	P2; LP2; RPP2; D11S2243E
SwissProt:	P05387
ELISA Recommended dilution:	2000-10000
IHC positive control:	Human lung cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	12 kDa
WB Positive control:	Raji, K562, A549, hepg2, PC3 and hela cells
WB Recommended dilution:	1000-5000





