

兔抗 MAP2K7 多克隆抗体

中文名称: 兔抗 MAP2K7 多克隆抗体

英文名称: Anti-MAP2K7 rabbit polyclonal antibody

别 名: mitogen-activated protein kinase kinase 7; MEK; MKK7; JNKK2; MEK 7; MAPKK7; PRKMK7; SAPKK4; SAPKK-4

相关类别: 一抗

抗 原: MAP2K7

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| Background: | The protein encoded by this gene is a dual specificity protein kinase that belongs to the MAP kinase kinase family. This kinase specifically activates MAPK8/JNK1 and MAPK9/JNK2, and this kinase itself is phosphorylated and a ctivated by MAP kinase kinase kinases including MAP3K1/MEKK1, MAP3K2/MEKK2,MAP3K3/MEKK5, and MAP4K2/GCK. This kinase is involved in the signal transduction mediating the cell responses to proinflammatory cytokines, and environmental stresses. Alternative splicing results in multiple transcript variants. |
|-------------------|---|
| Applications: | ELISA, IHC |
| Name of antibody: | MAP2K7 |



| Immunogen: | Synthetic peptide of human MAP2K7 |
|------------------------------------|--|
| Full name: | mitogen-activated protein kinase kinase 7 |
| Synonyms: | MEK; MKK7; JNKK2; MEK 7; MAPKK7; PRKMK7; SAPKK4; SAPKK-4 |
| SwissProt: | O14733 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human liver cancer and human prostate cancer |
| IHC Recommend dilution: | 25-100 |





