

## 兔抗 MAPK12 多克隆抗体

- 中文名称：兔抗 MAPK12 多克隆抗体
- 英文名称：Anti-MAPK12 rabbit polyclonal antibody
- 别名：ERK3; ERK6; SAPK3; PRKM12; SAPK-3; P38GAMMA
- 相关类别：一抗
- 储存：冷冻 (-20℃)
- 宿主：Rabbit
- 抗原：MAPK12
- 反应种属：Human, Mouse, Rat
- 标记物：Unconjugate
- 克隆类型：rabbit polyclonal

### 技术规格

<b>Background:</b>	Activation of members of the mitogen-activated protein kinase family is a major mechanism for transduction of extracellular signals. Stress-activated protein kinases are one subclass of MAP kinases. The protein encoded by this gene functions as a signal transducer during differentiation of myoblasts to myotubes.
<b>Applications:</b>	ELISA, WB, IHC
<b>Name of antibody:</b>	MAPK12
<b>Immunogen:</b>	Fusion protein of human MAPK12
<b>Full name:</b>	mitogen-activated protein kinase 12
<b>Synonyms :</b>	ERK3; ERK6; SAPK3; PRKM12; SAPK-3; P38GAMMA
<b>SwissProt:</b>	P53778
<b>ELISA Recommended dilution:</b>	2000-5000

<b>IHC positive control:</b>	Human liver cancer and human breast cancer
<b>IHC Recommend dilution:</b>	25-100
<b>WB Predicted band size:</b>	42 kDa
<b>WB Positive control:</b>	Mouse muscle tissue and Jurkat cells, K562 and A431 cells
<b>WB Recommended dilution:</b>	500-2000



