

兔抗 SPHK2 多克隆抗体

中文名称: 兔抗 SPHK2 多克隆抗体

英文名称: Anti-SPHK2 rabbit polyclonal antibody

别 名: SK 2; SK-2; SPK 2; SPK-2

相关类别: 一抗

储 存: 冷冻(-20℃)

抗原: SPHK2

宿 主: Rabbit

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| Background: | This gene encodes one of two sphingosine kinase iso zymes that catalyze the phosphorylation of sphingosin e into sphingosine 1-phosphate. Sphingosine 1-phosphate mediates many cellular processes including migration, proliferation and apoptosis, and also plays a role in several types of cancer by promoting angiogenesis and tumorigenesis. The encoded protein may play a role in breast cancer proliferation and chemoresistance. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. |
|-------------------|---|
| Applications: | ELISA, WB, IHC |
| Name of antibody: | SPHK2 |
| Immunogen: | Fusion protein of human SPHK2 |
| Full name: | sphingosine kinase 2 |
| Synonyms: | SK 2; SK-2; SPK 2; SPK-2 |



www.shjning.com

| SwissProt: | Q9NRA0 |
|-----------------------------|------------------------------|
| ELISA Recommended dilution: | 2000-5000 |
| IHC positive control: | Human thyroid cancer |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 69 kDa |
| WB Positive control: | Mouse brain and liver tissue |
| WB Recommended dilution: | 200-1000 |





