

FGFR1 抗原(重组蛋白)

中文名称: FGFR1 抗原(重组蛋白)

- 英文名称: FGFR1 Antigen (Recombinant Protein)
- 储存: 冷冻(-20℃)

相关类别: 抗原

概述

Fusion protein corresponding to C terminal 200 amino acids of human FGFR1

技术规格

Full name:	fibroblast growth factor receptor 1
Synonyms:	CEK, FLG, HH2, OGD, FLT2, KAL2, BFGFR, CD331, FGFBR, FLT-2, HBGFR , N-SAM, FGFR-1, bFGF-R-1
Swissprot:	P11362
Gene Accession:	BC015035
Purity:	>85%, as determined by Coomassie blue stained SDS-PAGE
Expression system:	Escherichia coli
Tags:	His tag C-Terminus, GST tag N-Terminus
Background:	The protein encoded by this gene is a member of the fibroblast gro wth factor receptor (FGFR) family, where amino acid sequence is highl y conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein consists of an extracel lular region, composed of three immunoglobulin-like domains, a singl e hydrophobic membrane-spanning segment and a cytoplasmic tyrosi ne kinase domain. The extracellular portion of the protein interacts wi th fibroblast growth factors, setting in motion a cascade of downstrea m signals, ultimately influencing mitogenesis and differentiation. This particular family member binds both acidic and basic fibroblast growt h factors and is involved in limb induction. Mutations in this gene ha



www.shjning.com

ve been associated with Pfeiffer syndrome, Jackson-Weiss syndrome, Antley-Bixler syndrome, osteoglophonic dysplasia, and autosomal dom inant Kallmann syndrome 2. Chromosomal aberrations involving this g ene are associated with stem cell myeloproliferative disorder and ste m cell leukemia lymphoma syndrome. Alternatively spliced variants wh ich encode different protein isoforms have been described; however, not all variants have been fully characterized.