

## 兔抗 TRMT112 多克隆抗体

中文名称: 兔抗 TRMT112 多克隆抗体

英文名称: Anti-TRMT112 rabbit polyclonal antibody

别 名: tRNA methyltransferase subunit 11-2; TRM112; HSPC152; HSPC170; hTrm112;

TRMT11-2

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: TRMT112

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

Background:	Participates both in methylation of protein and tRNA specie s. The heterodimer with HEMK2/N6AMT1 catalyzes N5-meth ylation of ETF1 on 'Gln-185', using S-adenosyl L-methionine as methyl donor. The heterodimer with ALKBH8 catalyzes t he methylation of 5-carboxymethyl uridine to 5-methylcarb oxymethyl uridine at the wobble position of the anticodon loop in target tRNA species.
Applications:	ELISA, WB, IHC
Name of antibody:	TRMT112
Immunogen:	Synthetic peptide of human TRMT112
Full name:	tRNA methyltransferase subunit 11-2
Synonyms:	TRM112; HSPC152; HSPC170; hTrm112; TRMT11-2
SwissProt:	Q9UI30

ELISA Recommended dilutio n:	5000-10000
IHC positive control:	Human ovarian cancer and Human lung cancer
IHC Recommend dilution:	40-200
WB Predicted band size:	14 kDa
WB Positive control:	231, A172, A549, HepG2, PC3 and Hela cell lysates
WB Recommended dilution:	200-1000









