

兔抗 U2AF2 多克隆抗体

中文名称: 兔抗 U2AF2 多克隆抗体

英文名称: Anti-U2AF2 rabbit polyclonal antibody

别 名: U2AF65

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: U2AF2

反应种属: Human, Mouse

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

U2 auxiliary factor (U2AF), comprised of a l arge and a small subunit, is a non-snRNP protein required for the binding of U2 snR NP to the pre-mRNA branch site. This gen e encodes the U2AF large subunit which c ontains a sequence-specific RNA-binding re gion with 3 RNA recognition motifs and an Arg/Ser-rich domain necessary for splicing. The large subunit binds to the polypyrimidi ne tract of introns early during spliceosom e assembly. Multiple transcript variants hav e been detected for this gene, but the full-length natures of only two have been determined to date.



www.shjning.com

Applications:	ELISA, IHC
Name of antibody:	U2AF2
Immunogen:	Fusion protein of human U2AF2
Full name:	U2 small nuclear RNA auxiliary factor 2
Synonyms:	U2AF65
SwissProt:	P26368
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human esophagus cancer
IHC Recommend dilution:	25-100









