

## 兔抗 UBE2T 多克隆抗体

中文名称：兔抗 UBE2T 多克隆抗体

英文名称：Anti-UBE2T rabbit polyclonal antibody

别名：PIG50; HSPC150

相关类别：一抗

储存：冷冻（-20℃）避光

宿主：Rabbit

抗原：UBE2T

反应种属：Human

标记物：Unconjugate

克隆类型：Unconjugate

### 技术规格

<b>Background:</b>	The covalent conjugation of ubiquitin to proteins regulates diverse cellular pathways and proteins. Ubiquitin is transferred to a target protein through a concerted action of a ubiquitin-activating enzyme (E1), a ubiquitin-conjugating enzyme (E2), such as UBE2T, and a ubiquitin ligase (E3) (Machida et al., 2006 [PubMed 16916645]).
<b>Applications:</b>	WB
<b>Name of antibody:</b>	UBE2T
<b>Immunogen:</b>	Synthesized peptide derived from internal of human UBE2T.
<b>Full name:</b>	ubiquitin-conjugating enzyme E2T (putative)
<b>Synonyms :</b>	PIG50; HSPC150
<b>SwissProt:</b>	Q9NPD8

WB Predicted band size:	23 kDa
WB Positive control:	Hela cells, Jurkat cells and K562 cells lysates
WB Recommended dilution:	500-3000



